

AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing Of Claims:

Please amend the claims as follows:

1. (Currently Amended) A dual mode digital cordless handset configured for use in a system for providing voice and data services over a wired data network, the system having a first wireless network including a wireless access point wired to the wired data network, the wireless access point operative to provide wireless access to the wired data network over a wireless connection and a second wireless network operative to provide telecommunications services on wireless communications frequencies, the dual mode digital cordless handset comprising:

means for receiving an Internet Protocol (IP) address, when in range of a wireless transmission area of the first wireless network, wherein the means for receiving the IP address comprises at least one of the following:

means for broadcasting, from the dual mode digital cordless handset, a medium access control (MAC) address, and

means for providing a user name and password for access via the wireless access point;

means for providing identification information comprising:

means for sending subscriber identity module (SIM) information to the wireless access point to register with the wired data network via the first wireless network, wherein the

identification information is used to verify the legitimacy of an attempt to access a service and feature applicable for a user, the identification information being provided by a home location register (HLR);

means for communicating in a first mode with the wireless access point of the first wireless network via the wireless connection in order to provide the voice and data services over the wired data network;

means for switching from the first wireless network to the second wireless network to communicate in a second mode with the second wireless network in order to provide telecommunications services on the wireless communications frequencies when out of range of the wireless transmission area of the first wireless network and in range of a wireless transmission area of the second wireless network;

means for determining features provided to the dual mode digital cordless handset, wherein determining features provided to the dual mode digital cordless handset comprises comparing the SIM card information to the identification information provided by the HLR; and

means for operating within restrictions defined for the dual mode digital cordless handset, wherein operating within restrictions defined for the dual mode digital cordless handset comprises determining restrictions on use defined and implemented by an application server.

2. (Previously Presented) The dual mode digital cordless handset of Claim 1, wherein the means for switching switches between the first wireless network and the second wireless network without user action.

3. (Canceled)

4. (Previously Presented) The dual mode digital cordless handset of Claim 1, wherein the dual mode digital cordless handset further comprises:
means for detecting signaling transmissions of the second wireless network; and
means for registering with the second wireless network.

5.-6. (Cancelled)

7. (Previously Presented) The dual mode digital cordless handset of Claim 1, wherein the digital cordless handset further comprises means for transferring the identification information from the first wireless network to the wired data network where a determination is made regarding what voice and data services to provide based on the identification information.

8. (Previously Presented) The dual mode digital cordless handset of Claim 1, wherein the digital cordless handset comprises means for communicating with the wired data network the wireless access point.

9. (Previously Presented) The dual mode digital cordless handset of Claim 8, wherein the dual mode digital cordless handset comprises means for switching between the wireless access point and another wireless access point during voice or data communication.

10. (Currently Amended) The dual mode digital cordless handset of Claim 9, wherein the means for switching between the wireless access point and another wireless access point switches when the dual mode digital cordless handset exits ~~[[a]]~~ the wireless transmission area of ~~[[a]]~~ the first wireless access point and when the dual mode digital cordless handset enters ~~[[a]]~~ the wireless transmission area of ~~[[a]]~~ the second wireless access point.

11. (Previously Presented) The dual mode digital cordless handset of Claim 1, wherein the wireless access point is further operative to provide wireless access to the wired data network over the wireless connection comprising an IEEE 802 connection.

12. (Previously Presented) The dual mode digital cordless handset of Claim 1, the second wireless network being operative to provide the telecommunications services on the wireless communications frequencies over a GSM/GPRS connection.

13. (Currently Amended) A method of providing voice and data services over a wired data network and over a second wireless network to a dual mode digital cordless handset, the method comprising:

detecting, at the dual mode digital cordless handset, a first wireless connection provided by a wireless access point, wherein the wireless access point is wired to the wired data network;

in response to detecting the first wireless connection, receiving an Internet Protocol (IP) address at the dual mode digital cordless handset, wherein receiving the IP address comprises at least one of the following:

broadcasting, from the dual mode digital cordless handset, a medium access control (MAC) address, and

providing a user name and password for access via the wireless access point;

providing identification information associated the dual mode digital cordless handset to the wired data network, wherein the wireless access point is configured to use subscriber identity module (SIM) information from the dual mode digital cordless handset to determine if a user associated with the dual mode digital cordless handset is a subscriber to the wired data network, wherein the identification information is used to verify the legitimacy of an attempt to access a service ~~and feature~~ applicable for ~~[[a]]~~ the user, the identification information being provided by a home location register (HLR);

receiving incoming calls directed to the dual mode digital cordless handset and sending outgoing calls from the dual mode digital cordless handset through the wired data network;

detecting, at the dual mode digital cordless handset, a loss of the first wireless connection;

detecting, at the dual mode digital cordless handset, a connection through the second wireless network;

in response to detecting the connection through the second wireless network, receiving incoming calls directed to the dual mode digital cordless handset and sending outgoing calls from the dual mode digital cordless handset through the second wireless network;

determining features provided to the dual mode digital cordless handset, wherein determining features provided to the dual mode digital cordless handset comprises comparing the SIM card information to the identification information provided by the HLR; and

operating within restrictions defined for the dual mode digital cordless handset, wherein operating within restrictions defined for the dual mode digital cordless handset comprises determining restrictions on use defined and implemented by an application server.

14. (Currently Amended) The method of Claim 13, further comprising:
~~after receiving and sending the calls through the second wireless network,~~
detecting, at the dual mode digital cordless handset, the first wireless connection provided by [[a]] the wireless access point, wherein the wireless access point is wired to the wired data network; and

receiving incoming calls directed to the dual mode digital cordless handset and sending outgoing calls from the dual mode digital cordless handset through the wired data network.

15. (Previously Presented) The method of Claim 13, further comprising:
determining the voice and data services to provide to the dual mode digital cordless handset over the wired data network based upon the received identification information.

16. (Previously Presented) The method of Claim 13, wherein receiving the incoming calls directed to the dual mode digital cordless handset and sending the outgoing calls from the dual mode digital cordless handset through the wired data network comprises establishing a voice over Internet protocol (VoIP) session between the dual mode digital cordless handset and the wired network through the wireless access point.

17. (Previously Presented) The method of Claim 16, wherein receiving the incoming calls directed to the dual mode digital cordless handset comprises:
detecting an IP address associated with a telephone number to which the incoming calls are directed; and

if the IP address associated with the telephone number to which the incoming calls are directed matches the IP address received at the dual mode digital cordless handset, then establishing the VoIP session with the dual mode digital cordless handset.

18. (Previously Presented) The method of Claim 16, wherein sending the outgoing calls from the dual mode digital cordless handset comprises: establishing the VoIP session between the dual mode digital cordless handset and the wired data network to receive telephone numbers associated with the outgoing calls at the wired data network; and completing the outgoing calls to parties associated with the telephone numbers.

19. (Previously Presented) The method of Claim 13, wherein detecting, at the dual mode digital cordless handset, the first wireless connection further comprises detecting the first wireless connection comprising an IEEE 802 connection.

20. (Currently Amended) The method of Claim 13, wherein detecting, at the dual mode digital cordless handset, the first wireless connection further comprises detecting the first wireless connection [[is]] comprising a Bluetooth connection.

21. (Previously Presented) The method of Claim 13, wherein providing the voice and data services over the second wireless network comprises providing the voice and data services over the second wireless network over a GSM/GPRS connection.

22. (Currently Amended) A system for providing voice and data services over a wired data network and over a second wireless network, the system comprising:

a broadband residential gateway comprising:

a home location register (HLR), the home location register operative to maintain identification information used to verify the legitimacy of an attempt to access a service ~~and feature~~ applicable for a user and determine features to be provided to a dual mode digital cordless handset, wherein determining features provided to the dual mode digital cordless handset comprises comparing subscriber identity module (SIM) card information to the identification information provided by the HLR,

a first network device operative to communicate with the wired data network,

a second network device operative to provide a communications link to at least one ~~one or more~~ wired network devices over a wired connection, and

a wireless access point operative to provide wireless access to the wired data network over a first wireless connection;

a second wireless network operative to provide telecommunications services on wireless communications frequencies; and

the dual mode digital cordless handset operative to,

receive an Internet Protocol (IP) address, when in range of a wireless transmission area of the wireless access point, wherein receiving the IP address comprises at least one of the following:

means for broadcasting, from the dual mode digital cordless handset, a medium access control (MAC) address, and providing a user name and password for access via the wireless access point;

provide identification information to the wired data network via the wireless access point;

communicate in a first mode with the wireless access point via the first wireless connection in order to provide the voice and data services over the wired data network;

when out of range of the wireless transmission area of the wireless access point and in range of a wireless transmission area of the second wireless network, switch from the wireless access point to the second wireless network to communicate in a second mode with the second wireless network in order to provide the voice and data services over the second wireless network, wherein the wireless access point is configured to use the SIM subscriber identity module-~~(SIM)~~ information from the dual mode digital cordless handset to determine if ~~[[a]]~~ the user associated with the dual mode digital cordless handset is a subscriber to the wired data network; and

operate within restrictions defined for the dual mode digital cordless handset, wherein operating within restrictions defined for the dual mode digital cordless handset comprises determining restrictions on use defined and implemented by an application server.

23. (Previously Presented) The system of Claim 22, further comprising a digital wired handset operative to communicate with the wired data network in order to provide the voice and data services.

24. (Previously Presented) The system of Claim 22, wherein the wired connection comprises a Home Phoneline Network Alliance (HPNA) connection.

25. (Currently Amended) The system of Claim 23, wherein the wired data network is operative to generate a telephone call directed toward the broadband residential gateway and wherein the telephone call may be answered on at least one of the following: the dual mode digital cordless handset [[or]] and the digital wired handset.

26. (Currently Amended) The system of Claim 23, wherein the broadband residential gateway is operative to generate a telephone call directed toward the wired data network and wherein the telephone call may be initiated on at least one of the following: the dual mode digital cordless handset [[or]] and the digital wired handset.

27. (Previously Presented) The system of Claim 23, wherein the system further comprises a directory information database and wherein the dual mode digital cordless handset or the digital wired handset is operative to access directory information provided by the directory information database.

28. (Previously Presented) The system of Claim 22, wherein the dual mode digital cordless handset transmits a user identifier to the wired data network and wherein the system further comprises a restriction database of the wired data network that applies rules to telephone calls of the dual mode digital cordless handset based on the user of the dual mode digital cordless handset.

29. (Previously Presented) The system of Claim 22, wherein the system further comprises a web interface at a personal computer linked to the wired data network, wherein the web interface provides for entry of administrative information for providing the voice and data services over the wired data network.

30. (Previously Presented) The system of Claim 22, wherein the first wireless connection comprises an IEEE 802 connection.

31. (Previously Presented) The system of Claim 22, wherein the first wireless connection comprises a Bluetooth connection.

32. (Previously Presented) The system of Claim 22, further comprising the second wireless network being further operative to provide the telecommunications services on the wireless communications frequencies over a GSM/GPRS connection.

33. (Currently Amended) The method of Claim 13, wherein providing the identification information further comprises providing the identification information associated with the dual mode digital cordless handset being stored in the SIM a-
~~Subscriber Identity Module (SIM)~~ card contained in the dual mode digital cordless handset.

34. (Previously Presented) The method of Claim 13, further comprising:
sending the outgoing call comprises sending the outgoing calls from the dual mode digital cordless handset through the wired data network; and
receiving the incoming call comprises receiving the incoming calls at the dual mode digital cordless handset through the wired data network using a Session Initiation Protocol (SIP).

35. (Previously Presented) The method of Claim 34, further comprising storing the SIP at the dual mode digital cordless handset.

36. (Previously Presented) The method of claim 13, further comprising detecting, at the dual mode digital cordless handset, a loss of the first wireless connection when the dual mode digital cordless handset is moved from a transmission range of the wireless access point.

37. (Previously Presented) The dual mode digital cordless handset of claim 1, wherein the wireless access point is further operative to provide wireless access to the wired data network over the wireless connection comprising an unregulated wireless connection.

38. (Previously Presented) The dual mode digital cordless handset of claim 1, wherein the wireless access point is further operative to provide wireless access to the wired data network over the wireless connection comprising a connection configured to provide wireless service using at least one frequency not assigned to a service provider.

39. (Previously Presented) The method of claim 13, wherein the first wireless connection comprises an unregulated wireless connection.

40. (Previously Presented) The method of claim 13, wherein the first wireless connection comprises a connection configured to provide wireless service using at least one frequency not assigned to a service provider.

41. (Previously Presented) The system of claim 22, wherein the first wireless connection comprises an unregulated wireless connection.

42. (Previously Presented) The system of claim 22, wherein the first wireless connection comprises a connection configured to provide wireless service using at least one frequency not assigned to a service provider.

43. (Previously Presented) The dual mode digital cordless handset of claim 1, wherein the second wireless network is further operative to provide telecommunications services on the wireless communications frequencies comprising regulated wireless communications frequencies.

44. (Previously Presented) The dual mode digital cordless handset of claim 1, wherein the second wireless network is further operative to provide telecommunications services on the wireless communications frequencies comprising frequencies assigned to a service provider.

45. (Previously Presented) The method of claim 13, the second wireless network being configured to use regulated wireless communications frequencies.

46. (Previously Presented) The method of claim 13, the second wireless network being configured to use communications frequencies assigned to a service provider.

47. (Previously Presented) The system of claim 22, wherein the wireless communications frequencies comprise regulated wireless communications frequencies.

48. (Previously Presented) The system of claim 22, wherein the wireless communications frequencies comprise frequencies assigned to a service provider.

49. (Previously Presented) The dual mode digital cordless handset of claim 1, wherein the wireless access point is wired to the wired data network through a broadband residential gateway comprising a broadband modem and a router, the broadband residential gateway being configured to enable another wireless access point to connect to the wired data network.

50. (Previously Presented) The system of claim 13, wherein the wireless access point is wired to the wired data network through a broadband residential gateway comprising a broadband modem and a router, the broadband residential gateway being configured to enable another wireless access point to connect to the wired data network.

51. (Previously Presented) The dual mode digital cordless handset of claim 1, wherein the wireless access point is further operative to provide voice-over-internet protocol (VOIP) service to the digital cordless handset.

52. (Previously Presented) The dual mode digital cordless handset of claim 1, wherein the dual mode digital cordless handset further comprises means for receiving high-speed data service from the wireless access point.

53. (Previously Presented) The dual mode digital cordless handset of claim 1, wherein the dual mode digital cordless handset further comprises means for receiving high-speed data service from the wireless access point wherein the received high-speed data service includes multimedia services.

54. (Previously Presented) The dual mode digital cordless handset of claim 1, further comprising a media gateway configured to link at least one of the following to the wired data network: the first wireless network and the second wireless network.

55. (Canceled)

56. (New) A dual mode wireless device operative to communicate with a first wireless network including at least one wireless access point wired to at least one wired data network, and a second wireless network operative at wireless communications frequencies, the dual mode wireless device comprising:

means for receiving an Internet Protocol (IP) address when in wireless transmission range of the first wireless network, wherein the means for receiving the IP address comprises at least one of the following:

means for broadcasting a medium access control (MAC) address associated with the dual mode wireless device, and

means for providing identification information comprising means for communicating subscriber identity module (SIM) information, the SIM information

being used to determine services and restrictions applied to the dual mode wireless device;

means for communicating in a first mode with the at least one wireless access point of the first wireless network in order to provide voice and data services associated with the at least one wired data network; and

means for switching from the first wireless network to the second wireless network to communicate in a second mode with the second wireless network in order to provide telecommunications services at the wireless communications frequencies when out of wireless transmission range of the first wireless network and in wireless transmission range of the second wireless network.